

Notice of Allowability

Application No.

10/762,057

Examiner

Robert G. Santos

Applicant(s)

BASS ET AL.

Art Unit

3673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the papers filed on 5/07 and on 5/23/06 as well as the personal interview held on 5/23/06.
2. ☒ The allowed claim(s) is/are 1, 3-8, 16-18, 21 and 22, now renumbered as claims 1-12.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.


4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 05232006 .
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.


ROBERT G. SANTOS
PRIMARY EXAMINER

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: As previously discussed with Applicants' representative during the personal interview held on May 23, 2006 and as mentioned on page 5 of Applicants' amendment also filed on May 23, 2006, the examiner respectfully asserts that none of the prior art, taken either singly or in combination, is seen to teach or suggest the use of a protective device for a mattress or cushion, the protective device comprising the particular structure of a *fitted* protective sheet having a first absorbent layer; a second impervious layer connected to and *underlying the first layer such that it contacts a surface of the mattress*; an elastic securing member attached to an outer edge *and extending along a perimeter of the protective sheet running along an underside of the mattress or cushion*; and a *fitted* bed sheet *covering completely the protective sheet* as explicitly recited in independent claim 1, as well as the use of a protective device comprising a plurality of *stacked fitted* protective sheets; a *fitted* bed sheet *covering completely the stack of protective sheets*; and a fitted bed sheet *disposed between each of the protective sheets in the stack and being unattached to any protective sheet or to any other bed sheet and each protective sheet being unattached to any other protective sheet* as explicitly recited in independent claims 21 and 22.

With regards to the prior art, most conventional protective devices generally comprise a multilayered pad member overlying a portion of a fitted bed sheet, wherein the pad member is held in place by complementary fasteners disposed on the bed sheet or by a pair of side members laterally extending from the pad which are tucked underneath the side portions of a mattress.

Since an updated search of the prior art also did not yield any other references pertinent to

Art Unit: 3673

claims, it is considered that the application is currently in full and proper condition for allowance.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert G. Santos whose telephone number is (571) 272-7048. The examiner can normally be reached on Tues-Fr and first Mondays, 10:30 a.m. to 8:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Suzanne L. Barrett can be reached on (571) 272-7053. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/762,057

Page 4

Art Unit: 3673

A handwritten signature in black ink, appearing to read "Robert G. Santos". The signature is fluid and cursive, with the first name "Robert" being more prominent and the last name "Santos" following in a similar style.

Robert G. Santos

Primary Examiner

Art Unit 3673

R.S.

May 29, 2006